Safety Data Sheet

Copyright, 2012, Meguiar's, Inc. All rights reserved. Copying and/or downloading of this information for the purpose of properly utilising Meguiar's, Inc. products is allowed provided that: (1) the information is copied in full with no changes unless prior written agreement is obtained from Meguiar's, Inc., and (2) neither the copy nor the original is resold or otherwise distributed with the intention of earning a profit thereon.

Document group:	28-7177-0	**Version number:**	1.02
Revision date:	31/07/2012	**Supersedes date:**	16/01/2012

Transportation version number: 1.00 (15/07/2011)

This Safety Data Sheet has been prepared in accordance with the REACH Regulation (EC) 1907/2006 and its modifications.

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier
M45, Boat/RV Polish and Gloss Enhancer (original formulation): M4516

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses
Marine

1.3. Details of the supplier of the substance or mixture

Address: Meguiars United Kingdon Limited, 3 Lamport Court, Heartlands, Daventry, Northants, NN11 8UF
Telephone: +44 (0)870 241 6696
E Mail: info@meguiars.co.uk
Website: www.meguiars.co.uk

1.4. Emergency telephone number
+44 (0)870 241 6696

SECTION 2: Hazard identification

2.1. Classification of the substance or mixture

Dangerous substances(67/548/EEC)/preparations(1999/45/EC) directive

This product is not classified as hazardous according to EU Directive 1999/45/EC.

2.2. Label elements

Dangerous substances(67/548/EEC)/preparations(1999/45/EC) directive

Symbols None.

Contains:

No ingredients are assigned to the label.

Risk phrases None.
Safety phrases None.

Notes on labelling
R65 is not required on the label due to the product's viscosity.

Nota N applied for CASRN 64742-46-7.

2.3. Other hazards

None known.

SECTION 3: Composition/information on ingredients

Ingredient	CAS Nbr	EU Inventory	% by Wt	Classification
Non-hazardous ingredients	Mixture		50 - 70	
Kieselguhr, soda ash flux-calcined	68855-54-9	EINECS 272-489-0	7 - 13	
Distillates (petroleum), hydrotreated light	64742-47-8	EINECS 265-149-8	7 - 13	Xn:R65 - Nota 4 (EU) R10; R66; R67 (Self Classified) Asp. Tox. 1, H304 (CLP) Flam. Liq. 3, H226; STOT SE 3, H336; EUH066 (Self Classified)
Distillates (petroleum), hydrotreated middle	64742-46-7	EINECS 265-148-2	1 - 5	Nota N (EU) Xn:R20-65; R66 (Self Classified) Nota N (CLP) Acute Tox. 4, H332; Asp. Tox. 1, H304; STOT SE 3, H336; EUH066 (Self Classified)
Glycerin	56-81-5	EINECS 200-289-5	1 - 5	
Processed oil	Trade Secret		1 - 5	
Paraffin Wax	8002-74-2	EINECS 232-315-6	< 5	
Conditioners	Trade Secret		< 5	
Cristobalite	14464-46-1	EINECS 238-455-4	0.1 - 1.0	Xn:R48/20 (Vendor) STOT RE 2, H373 (Vendor)

Please see section 16 for the full text of any R phrases and H statements referred to in this section
Please refer to section 15 for the any applicable Notas that have been applied to the above components

For information on ingredient occupational exposure limits or PBT or vPvB status, see sections 8 and 12 of this SDS

SECTION 4: First aid measures

4.1. Description of first aid measures

Eye contact
Flush with large amounts of water. Remove contact lenses if easy to do. Continue rinsing. If signs/symptoms persist, get medical attention.

Skin contact
Wash with soap and water. If signs/symptoms develop, get medical attention.

Inhalation
Remove person to fresh air. If you feel unwell, get medical attention.

If swallowed
Rinse mouth. If you feel unwell, get medical attention.

4.2. Most important symptoms and effects, both acute and delayed
See Section 11.1 Information on toxicological effects

4.3. Indication of any immediate medical attention and special treatment required
Not applicable

SECTION 5: Fire-fighting measures

5.1. Extinguishing media
In case of fire: Use a fire fighting agent suitable for flammable liquids and solids such as dry chemical or carbon dioxide.

5.2. Special hazards arising from the substance or mixture
Closed containers exposed to heat from fire may build pressure and explode.

Hazardous Decomposition or By-Products

Substance	Condition
Hydrocarbons.	During combustion.
Carbon monoxide.	During combustion.
Carbon dioxide.	During combustion.
Irritant vapours or gases.	During combustion.

5.3. Advice for fire-fighters
Water may not effectively extinguish fire; however, it should be used to keep fire-exposed containers and surfaces cool and prevent explosive rupture.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures
Evacuate area. Ventilate the area with fresh air. For large spill, or spills in confined spaces, provide mechanical ventilation to disperse or exhaust vapours, in accordance with good industrial hygiene practice. Warning: A motor could be an ignition source and could cause flammable gases or vapours in the spill area to burn or explode. Refer to other sections of this SDS for information regarding physical and health hazards, respiratory protection, ventilation, and personal protective equipment.

6.2. Environmental precautions
Avoid release to the environment. For larger spills, cover drains and build dykes to prevent entry into sewer systems or bodies of water.

6.3. Methods and material for containment and cleaning up
Remember, adding an absorbent material does not remove a toxic, corrosivity or flammability hazard. Contain spill. Working from around the edges of the spill inward, cover with bentonite, vermiculite, or commercially available inorganic absorbent material. Mix in sufficient absorbent until it appears dry. Collect as much of the spilled material as possible. Place in a closed container approved for transportation by appropriate authorities. Clean up residue with detergent and water. Seal the container. Dispose of collected material as soon as possible.

6.4. Reference to other sections
Refer to Section 8 and Section 13 for more information

SECTION 7: Handling and storage

7.1. Precautions for safe handling
Keep out of reach of children. Avoid breathing dust/fume/gas/mist/vapours/spray. Do not eat, drink or smoke when using this product. Wash thoroughly after handling. Avoid contact with oxidising agents (eg. chlorine, chromic acid etc.)

7.2. Conditions for safe storage including any incompatibilities
Store away from acids. Store away from strong bases. Store away from oxidising agents.

7.3. Specific end use(s)
See information in Section 7.1 and 7.2 for handling and storage recommendations. See Section 8 for exposure controls and personal protection recommendations.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational exposure limits

Ingredient	CAS Nbr	Agency	Limit type	Additional comments
Silica, crystalline (airborne particles of respirable size)	14464-46-1	Health and Safety Comm. (UK)	TWA(respirable):0.1 mg/m3	
Glycerin	56-81-5	Health and Safety Comm. (UK)	TWA(as mist):10 mg/m3	
Silica, amorphous	68855-54-9	Health and Safety Comm. (UK)	TWA(as inhalable dust):6 mg/m3;TWA(as respirable dust):2.4 mg/m3	
Paraffin Wax	8002-74-2	Health and Safety Comm. (UK)	TWA(as fume):2 mg/m3;STEL(as fume):6 mg/m3	

Health and Safety Comm. (UK) : UK Health and Safety Commission
TWA: Time-Weighted-Average
STEL: Short Term Exposure Limit
ppm: parts per million
mg/m^3: milligrams per cubic metre
CEIL: Ceiling

8.2. Exposure controls

8.2.1. Engineering controls
Use general dilution ventilation and/or local exhaust ventilation to control airborne exposures to below relevant Exposure Limits and/or control dust/fume/gas/mist/vapours/spray. If ventilation is not adequate, use respiratory protection equipment.

8.2.2. Personal protective equipment (PPE)

Eye/face protection

As a good industrial hygiene practice:
Wear eye/face protection.

The following eye protection(s) are recommended: Safety glasses with side shields.

Skin/hand protection

Wear protective gloves.
Gloves made from the following material(s) are recommended: Nitrile rubber.

Respiratory protection

In case of inadequate ventilation wear respiratory protection.
An exposure assessment may be needed to decide if a respirator is required. If a respirator is needed, use respirators as part of a full respiratory protection program. Based on the results of the exposure assessment, select from the following respirator type(s) to reduce inhalation exposure:
Half facepiece or full facepiece air-purifying respirator suitable for organic vapours and particulates

For questions about suitability for a specific application, consult with your respirator manufacturer.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	Liquid.
Appearance/Odour	No appreciable odour; White, viscous lotion
pH	5 - 6.95
Boiling point/boiling range	198.9 ºC
Melting point	*Not applicable.*
Flammability (solid, gas)	Not classified
Explosive properties	Not classified
Oxidising properties	Not classified
Flash point	> 93.3 ºC [*Test Method:*Pensky-Martens Closed Cup]
Autoignition temperature	*No data available.*
Flammable Limits(LEL)	*No data available.*
Flammable Limits(UEL)	*No data available.*
Vapour pressure	*No data available.*
Relative density	1 - 1.04 [*Ref Std:*WATER=1]
Water solubility	Moderate
Partition coefficient: n-octanol/water	*No data available.*
Evaporation rate	*No data available.*
Vapour density	*No data available.*
Viscosity	2,000 - 8,000
Density	1 - 1.04

9.2. Other information

Volatile organic compounds (VOC)	11.10 % weight
VOC less H2O & exempt solvents	441.92 g/l

SECTION 10: Stability and reactivity

10.1 Reactivity
This material may be reactive with certain agents under certain conditions - see the remaining headings in this section

10.2 Chemical stability
Stable.

10.3 Possibility of hazardous reactions
Hazardous polymerisation will not occur.

10.4 Conditions to avoid
Temperatures above the boiling point.

10.5 Incompatible materials
Strong acids.
Strong bases.
Strong oxidising agents.

10.6 Hazardous decomposition products

Substance	Condition
None known.	

SECTION 11: Toxicological information

The information below may not be consistent with the material classification in Section 2 if specific ingredient classifications are mandated by a competent authority. In addition, toxicological data on ingredients may not be reflected in the material classification and/or the signs and symptoms of exposure, because an ingredient may be present below the threshold for labelling, an ingredient may not be available for exposure, or the data may not be relevant to the material as a whole.

11.1 Information on Toxicological effects

Signs and Symptoms of Exposure

Based on test data and/or information on the components, this material may produce the following health effects:

Eye contact
Contact with the eyes during product use is not expected to result in significant irritation.

Skin contact
Mild Skin Irritation: Signs/symptoms may include localized redness, swelling, itching, and dryness.

Inhalation
Respiratory tract irritation: Signs/symptoms may include cough, sneezing, nasal discharge, headache, hoarseness, and nose and throat pain.

Ingestion
Gastrointestinal irritation: Signs/symptoms may include abdominal pain, stomach upset, nausea, vomiting and diarrhoea.

Toxicological Data

Acute Toxicity

Name	Route	Species	Value
Overall product	Ingestion		No test data available; calculated ATE >5,000 mg/kg
Kieselguhr, soda ash flux-calcined	Dermal	Rabbit	LD50 > 5,000 mg/kg
Kieselguhr, soda ash flux-calcined	Inhalation-Dust/Mist (4 hours)	Rat	LC50 > 0.691 mg/l
Kieselguhr, soda ash flux-calcined	Ingestion	Rat	LD50 > 5,110 mg/kg

Distillates (petroleum), hydrotreated light	Dermal	Rabbit	LD50 > 3,160 mg/kg
Distillates (petroleum), hydrotreated light	Inhalation-Dust/Mist (4 hours)	Rat	LC50 > 3.0 mg/l
Distillates (petroleum), hydrotreated light	Ingestion	Rat	LD50 > 5,000 mg/kg
Distillates (petroleum), hydrotreated middle	Dermal	Rabbit	LD50 > 2,000 mg/kg
Distillates (petroleum), hydrotreated middle	Inhalation-Dust/Mist (4 hours)	Rat	LC50 5 mg/l
Distillates (petroleum), hydrotreated middle	Ingestion	Rat	LD50 > 5,000 mg/kg
Processed oil	Ingestion		LD50 estimated to be > 5,000
Glycerin	Dermal	Rabbit	LD50 estimated to be > 5,000 mg/kg
Glycerin	Ingestion	Rat	LD50 > 5,000 mg/kg
Paraffin Wax	Dermal	Rabbit	LD50 > 5,000 mg/kg
Paraffin Wax	Ingestion	Rat	LD50 > 5,000 mg/kg
Conditioners			No data available
Cristobalite	Ingestion		LD50 estimated to be > 5,000 mg/kg

ATE = acute toxicity estimate

Skin Corrosion/Irritation

Name	Species	Value
Kieselguhr, soda ash flux-calcined	Rabbit	No significant irritation
Distillates (petroleum), hydrotreated light		Mild irritant
Distillates (petroleum), hydrotreated middle	Rabbit	Minimal irritation
Processed oil	Human	Minimal irritation
Glycerin	Rabbit	No significant irritation
Paraffin Wax		No data available
Conditioners		No data available
Cristobalite		No data available

Serious Eye Damage/Irritation

Name	Species	Value
Kieselguhr, soda ash flux-calcined	Rabbit	No significant irritation
Distillates (petroleum), hydrotreated light		Mild irritant
Distillates (petroleum), hydrotreated middle	Not available	Mild irritant
Processed oil	Rabbit	Mild irritant
Glycerin	Rabbit	No significant irritation
Paraffin Wax		No data available
Conditioners		No data available
Cristobalite		No data available

Skin Sensitisation

Name	Species	Value
Kieselguhr, soda ash flux-calcined	Human and animal	Not sensitizing
Distillates (petroleum), hydrotreated light		Not sensitizing
Distillates (petroleum), hydrotreated middle		No data available
Processed oil	Human	Some positive data exist, but the data are not sufficient for classification
Glycerin	Guinea pig	Not sensitizing
Paraffin Wax		No data available
Conditioners		No data available
Cristobalite		No data available

Respiratory Sensitisation

Name	Species	Value
Kieselguhr, soda ash flux-calcined		No data available
Distillates (petroleum), hydrotreated light		No data available

M45, Boat/RV Polish and Gloss Enhancer (original formulation): M4516

Distillates (petroleum), hydrotreated middle		No data available
Processed oil		No data available
Glycerin		No data available
Paraffin Wax		No data available
Conditioners		No data available
Cristobalite		No data available

Germ Cell Mutagenicity

Name	Route	Value
Kieselguhr, soda ash flux-calcined	In Vitro	Not mutagenic
Distillates (petroleum), hydrotreated light	In Vitro	Not mutagenic
Distillates (petroleum), hydrotreated middle	In Vitro	Some positive data exist, but the data are not sufficient for classification
Processed oil	In Vitro	Not mutagenic
Processed oil	In vivo	Not mutagenic
Glycerin		No data available
Paraffin Wax		No data available
Conditioners		No data available
Cristobalite		No data available

Carcinogenicity

Name	Route	Species	Value
Kieselguhr, soda ash flux-calcined	Not specified.	Mouse	Some positive data exist, but the data are not sufficient for classification
Distillates (petroleum), hydrotreated light	Dermal		Some positive data exist, but the data are not sufficient for classification
Distillates (petroleum), hydrotreated middle	Dermal	Mouse	Some positive data exist, but the data are not sufficient for classification
Processed oil			No data available
Glycerin	Ingestion	Mouse	Some positive data exist, but the data are not sufficient for classification
Paraffin Wax			No data available
Conditioners			No data available
Cristobalite			No data available

Reproductive Toxicity

Reproductive and/or Developmental Effects

Name	Route	Value	Species	Test result	Exposure Duration
Kieselguhr, soda ash flux-calcined	Ingestion	Not toxic to female reproduction	Rat	NOAEL 509 mg/kg/day	1 generation
Kieselguhr, soda ash flux-calcined	Ingestion	Not toxic to male reproduction	Rat	NOAEL 497 mg/kg/day	1 generation
Kieselguhr, soda ash flux-calcined	Ingestion	Not toxic to development	Rat	NOAEL 1,350 mg/kg/day	during organogenesis
Distillates (petroleum), hydrotreated light	Inhalation	Not toxic to reproduction and/or development		NOAEL 364 ppm	
Distillates (petroleum), hydrotreated middle		No data available			
Processed oil	Ingestion	Not toxic to female reproduction	Rat	NOAEL 4,800 mg/kg/day	13 weeks
Processed oil	Ingestion	Not toxic to male reproduction	Rat	NOAEL 4,800 mg/kg/day	13 weeks
Glycerin	Ingestion	Not toxic to female	Rat	NOAEL	2 generation

		reproduction		2,000 mg/kg/day	
Glycerin	Ingestion	Not toxic to male reproduction	Rat	NOAEL 2,000 mg/kg/day	2 generation
Glycerin	Ingestion	Not toxic to development	Rat	NOAEL 2,000 mg/kg/day	2 generation
Paraffin Wax		No data available			
Conditioners		No data available			
Cristobalite		No data available			

Target Organ(s)

Specific Target Organ Toxicity - single exposure

Name	Route	Target Organ(s)	Value	Species	Test result	Exposure Duration
Kieselguhr, soda ash flux-calcined			No data available			
Distillates (petroleum), hydrotreated light	Inhalation	central nervous system depression	May cause drowsiness or dizziness		NOAEL N/A	
Distillates (petroleum), hydrotreated light	Inhalation	respiratory irritation	Some positive data exist, but the data are not sufficient for classification		Irritation Positive	
Distillates (petroleum), hydrotreated middle	Inhalation	central nervous system depression | respiratory irritation	Some positive data exist, but the data are not sufficient for classification	Not available	NOAEL NA	
Distillates (petroleum), hydrotreated middle	Ingestion	central nervous system depression	May cause drowsiness or dizziness	Not available	NOAEL NA	
Processed oil			No data available			
Glycerin			No data available			
Paraffin Wax			No data available			
Conditioners			No data available			
Cristobalite			No data available			

Specific Target Organ Toxicity - repeated exposure

Name	Route	Target Organ(s)	Value	Species	Test result	Exposure Duration
Kieselguhr, soda ash flux-calcined	Inhalation	respiratory system | silicosis	All data are negative	Human	NOAEL Not available	occupational exposure
Distillates (petroleum), hydrotreated light	Dermal	bone, teeth, nails, and/or hair	Some positive data exist, but the data are not sufficient for classification		NOEL N/A	
Distillates (petroleum), hydrotreated light	Dermal	liver	Some positive data exist, but the data are not sufficient for classification		NOEL 1,000 mg/kg/day	

Distillates (petroleum), hydrotreated light	Inhalation	hematopoietic system	All data are negative		NOAEL 0.1 mg/l	
Distillates (petroleum), hydrotreated light	Ingestion	liver	Some positive data exist, but the data are not sufficient for classification		NOEL 100 mg/kg/day	
Distillates (petroleum), hydrotreated light	Ingestion	kidney and/or bladder	Some positive data exist, but the data are not sufficient for classification		LOAEL 100 mg/kg	
Distillates (petroleum), hydrotreated middle			No data available			
Processed oil	Ingestion	heart | hematopoietic system | liver	Some positive data exist, but the data are not sufficient for classification	Rat	NOAEL 4,800 mg/kg/day	13 weeks
Processed oil	Ingestion	kidney and/or bladder	Some positive data exist, but the data are not sufficient for classification	Mouse	NOAEL 13,000 mg/kg/day	13 weeks
Glycerin	Inhalation	respiratory system	Some positive data exist, but the data are not sufficient for classification	Rat	NOAEL 3.91 mg/l	14 days
Glycerin	Inhalation	heart | liver | kidney and/or bladder	All data are negative	Rat	NOAEL 3.91 mg/l	14 days
Glycerin	Ingestion	endocrine system | hematopoietic system | liver | kidney and/or bladder	All data are negative	Rat	NOAEL 10,000 mg/kg/day	2 years
Paraffin Wax			No data available			
Conditioners			No data available			
Cristobalite			No data available			

Aspiration Hazard

Name	Value
Kieselguhr, soda ash flux-calcined	Not an aspiration hazard
Distillates (petroleum), hydrotreated light	Aspiration hazard
Distillates (petroleum), hydrotreated middle	Aspiration hazard
Processed oil	Not an aspiration hazard
Glycerin	Not an aspiration hazard
Paraffin Wax	Not an aspiration hazard
Conditioners	Not an aspiration hazard
Cristobalite	Not an aspiration hazard

Please contact the address or phone number listed on the first page of the SDS for additional toxicological information on this material and/or its components.

SECTION 12: Ecological information

The information below may not be consistent with the material classification in Section 2 if specific ingredient classifications are mandated by a competent authority. Additional information leading to material classification in Section 2 is available upon request. In addition, environmental fate and effects data on ingredients may not be reflected in this section because an ingredient is present below the threshold for labelling, an ingredient is not expected to be available for exposure, or the data is considered not relevant to the material as a whole.

12.1. Toxicity

Acute aquatic hazard:
Not acutely toxic to aquatic life by GHS criteria.

Chronic aquatic hazard:
Not chronically toxic to aquatic life by GHS criteria.

No product test data available.
No component test data available.

12.2. Persistence and degradability
No test data available.

12.3 : Bioaccumulative potential
No test data available.

12.4. Mobility in soil
Please contact manufacturer for more details

12.5. Results of the PBT and vPvB assessment

No information available at this time, contact manufacturer for more details

12.6. Other adverse effects
No information available.

SECTION 13: Disposal considerations

13.1 Waste treatment methods
Dispose of contents/ container in accordance with the local/regional/national/international regulations

This product has been classified as a non-hazardous waste. Prior to disposal, consult all applicable authorities and regulations to insure proper classification. Dispose of waste product in a permitted industrial waste facility. As a disposal alternative, incinerate in a permitted waste incineration facility. Proper destruction may require the use of additional fuel during incineration processes. Empty and clean product containers may be disposed as non-hazardous waste. Consult your specific regulations and service providers to determine available options and requirements.

The coding of a waste stream is based on the application of the product by the consumer. Since this is out of the control of the manufacturer, no waste code(s) for products after use will be provided. Please refer to the European Waste Code (EWC - 2000/532/CE and amendments) to assign the correct waste code to your waste stream. Ensure national and/or regional regulations are complied with and always use a licensed waste contractor

EU waste code (product as sold)
08 04 09* Waste adhesives and sealants containing organic solvents or other dangerous substances

SECTION 14: Transportation information

ADR/IMDG/IATA: Not restricted for transport.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Carcinogenicity

Ingredient	CAS Nbr	Classification	Regulation
Cristobalite	14464-46-1	Grp. 1: Carcinogenic to humans	International Agency for Research on Cancer

Global inventory status
Contact manufacturer for more information The components of this product are in compliance with the chemical notification requirements of TSCA.

15.2. Chemical Safety Assessment
Not applicable

SECTION 16: Other information

List of relevant H statements

EUH066	Repeated exposure may cause skin dryness or cracking.
H226	Flammable liquid and vapour.
H304	May be fatal if swallowed and enters airways.
H332	Harmful if inhaled.
H336	May cause drowsiness or dizziness.
H373	May cause damage to organs through prolonged or repeated exposure.

List of relevant R-phrases

R10	Flammable.
R20	Harmful by inhalation.
R48/20	Harmful: danger of serious damage to health by prolonged exposure through inhalation.
R65	Harmful: May cause lung damage if swallowed.
R66	Repeated exposure may cause skin dryness or cracking.
R67	Vapours may cause drowsiness and dizziness.

Revision information:
Revision Changes:
Section 8: Respiratory protection - recommended respirators information was modified.
Section 8: Respiratory protection - recommended respirators was modified.
Section 16: List of relevant R phrase information was modified.
Section 3: Composition/ Information of ingredients table was modified.
Copyright was modified.
Aspiration Hazard Table was modified.
Section 11: Acute Toxicity table was modified.
Carcinogenicity Table was modified.
Serious Eye Damage/Irritation Table was modified.
Germ Cell Mutagenicity Table was modified.
Skin Sensitisation Table was modified.
Respiratory Sensitisation Table was modified.
Reproductive Toxicity Table was modified.

Skin Corrosion/Irritation Table was modified.
Target Organs - Repeated Table was modified.
Target Organs - Single Table was modified.
Section 11: Health Effects - Skin information was modified.
Section 11: Health Effects - Inhalation information was modified.
Section 11: Health Effects - Ingestion information was modified.
Section 5: Fire - Extinguishing media information was modified.
Section 6: Accidental release personal information was modified.
Section 6: Accidental release environmental information was modified.
Section 6: Accidental release clean-up information was modified.
Section 7: Precautions safe handling information was modified.
Section 7: Conditions safe storage was modified.
Section 13: Standard Phrase Category Waste GHS was modified.
Section 4: First aid for inhalation information was modified.
Section 4: First aid for ingestion (swallowing) information was modified.
Two-column table displaying the unique list of H Codes and statements (std phrases) for all components of the given material. was modified.
Section 8: Respiratory protection - recommended respirators guide was added.
Section 12: Acute aquatic hazard information was added.
Section 12: Chronic aquatic hazard heading was added.
Section 12: Acute aquatic hazard heading was added.
Section 12: Chronic aquatic hazard information was added.
Section 8: Personal Protection - Eye information was added.
Section 8: Personal Protection - Skin/hand information was added.
Section 8: Personal Protection - Respiratory Information was added.
Section 11: UN GHS Classification table heading was deleted.

DISCLAIMER: The information on this Safety Data Sheet is based on our experience and is correct to the best of our knowledge at the date of publication, but we do not accept any liability for any loss, damage or injury resulting from its use (except as required by law). The information may not be valid for any use not referred to in this Data Sheet or use of the product in combination with other materials. For these reasons, it is important that customers carry out their own test to satisfy themselves as to the suitability of the product for their own intended applications.

Meguiar's, Inc. United Kingdom MSDSs are available at www.meguiars.co.uk